Ministry of
Northern Development
and Mines

Ontario

ONTARIO GEOLOGICAL SURVEY

GEOLOGICAL DATA INVENTORY FOLIO

GDIF 340

STREET TOWNSHIP

DISTRICT OF SUDBURY

Compiled by the Staff of
the Resident Geologist's Office
Sudbury



LOCATION MAP

Scale: 1:1 013 760 or 1 inch to 16 miles

87-06501/

NTS Number 41I/10

Mining Claim Map Number M.1145

STATEMENT: This inventory is unedited. Discrepancies may occur for which the Ontario Geological Survey does not assume liability. Information from this source may be quoted if credit is given. Reference to this inventory should be made as follows:

Ontario Geological Survey

1987: Street Township, District of Sudbury; Ontario Geological Survey, Geological Data Inventory Folio 340, compiled by the staff of the Resident Geologist's Office, Sudbury, 20p. and 2 maps.

Original Compilation by: Jerome, Lucille August, 1986

Date	Page Revised	Revised by

Date	Page Revised	Revised by

TABLE OF CONTENTS

Data Sources Checklist 1
Metals and Minerals Reference List 2
Mineral Occurrences 3
Type of Work . . . . . 4 - 5
Drill Hole Summary . . . . . 6 - 7
Airborne Geophysical Survey Data 8
Geochemical Survey Data 9
Miscellaneous Data 10
Newspaper Clipping File 11
ODM General Index Search . . . . . 12 - 13
Selected References . . . . . 14 - 18
Notes and Addenda 20

ACCOMPANYING MAPS

Property Location Map - 1 map

Exploration Data Map - 1 map

Map Scale 1: 31 680 or 1 inch to ½ mile

CONVERSION FACTORS FOR MEASUREMENTS IN ONTARIO GEOLOGICAL SURVEY PUBLICATIONS

If the reader wishes to convert imperial units to SI (metric) units or SI units to imperial units the following multipliers should be used:

CONVERSION FROM SI TO IMPERIAL			CONVERSION FROM IMPERIAL TO SI		
SI Unit	*Multiplied by*	*Gives*	*Imperial Unit*	*Multiplied by*	*Gives*
			LENGTH		
1 mm	0.039 37	inches	1 inch	**25.4**	mm
1 cm	0.393 70	inches	1 inch	**2.54**	cm
1 m	3.280 84	feet	1 foot	**0.304 8**	m
1 m	0.049 709 7	chains	1 chain	20.116 8	m
1 km	0.621 371	miles (statute)	1 mile (statute)	**1.609 344**	km
			AREA		
1 cm^2	0.155 0	square inches	1 square inch	**6.451 6**	cm^2
1 m^2	10.763 9	square feet	1 square foot	**0.092 903 04**	m^2
1 km^2	0.386 10	square miles	1 square mile	2.589 988	km^2
1 ha	2.471 054	acres	1 acre	0.404 685 6	ha
			VOLUME		
1 cm^3	0.061 02	cubic inches	1 cubic inch	**16.387 064**	cm^3
1 m^3	35.314 7	cubic feet	1 cubic foot	0.028 316 85	m^3
1 m^3	1.308 0	cubic yards	1 cubic yard	0.764 555	m^3
			CAPACITY		
1 L	1.759 755	pints	1 pint	0.568 261	L
1 L	0.879 877	quarts	1 quart	1.136 522	L
1 L	0.219 969	gallons	1 gallon	**4.546 090**	L
			MASS		
1 g	0.035 273 96	ounces (avdp)	1 ounce (avdp)	28.349 523	g
1 g	0.032 150 75	ounces (troy)	1 ounce (troy)	**31.103 476 8**	g
1 kg	2.204 62	pounds (avdp)	1 pound (avdp)	**0.453 592 37**	kg
1 kg	0.001 102 3	tons (short)	1 ton (short)	**907.184 74**	kg
1 t	1.102 311	tons (short)	1 ton (short)	**0.907 184 74**	t
1 kg	0.000 984 21	tons (long)	1 ton (long)	**1016.046 908 8**	kg
1 t	0.984 206 5	tons (long)	1 ton (long)	**1.016 046 908 8**	t
			CONCENTRATION		
1 g/t	0.029 166 6	ounce (troy)/ton (short)	1 ounce (troy)/ton (short)	34.285 714 2	g/t
1 g/t	0.583 333 33	pennyweights/ton (short)	1 pennyweight/ton (short)	1.714 285 7	g/t

OTHER USEFUL CONVERSION FACTORS

1 ounce (troy)/ton (short)	20.0	pennyweights/ton (short)
1 pennyweight/ton (short)	0.05	ounce (troy)/ton (short)

One gram(g) per tonne is equivalent to one part per million (1 ppm).

NOTE–Conversion factors which are in bold type are exact. The conversion factors have been taken from or have been derived from factors given in the Metric Practice Guide for the Canadian Mining and Metallurgical Industries published by The Mining Association of Canada in co-operation with the Coal Association of Canada.

DATA SOURCES CHECK LIST

NOTE: The following sources have been searched to compile the data for this area. If no reference data was found the appropriate box is marked 'no'; if reference data was found, the box is marked 'yes'.

All reference data found are included in the following pages. If the box is blank, the data source has not yet been searched. If the box is marked N.A., the source item is Not Applicable to this area and therefore not searched.

	SOURCES OF DATA	Data	Initial
1	Resident Geologist's Office Files	Yes	L.J.
2	Assessment Files Research Office, Toronto	N.A.	L.J.
3	ODM General Index; 9 Volumes	Yes	L.J.
4	Catalogue of Airborne Geophysical Surveys (ODM)	Yes	L.J.
5	ODM Mineral Resources Circulars and OGS Mineral Deposits Circulars	Yes	L.J.
6	ODM Industrial Mineral Reports	No	L.J.
7	Bibliography of Post Precambrian Theses - Karrow (ODM MP 1)	N.A.	L.J.
8	Bibliography of Precambrian Theses - Ginn (ODM MP 2)	Yes	L.J.
9	Newspaper Clippings File	Yes	L.J.
10	GSC Index to Publications	Yes	L.J.
11	OGS Index to Published Maps and Reports - MP 77 and Supplements to MP 77	Yes	L.J.
12	OGS Index Maps	Yes	L.J.
13	Source Mineral Deposit Records (O.G.S.)	Yes	L.J.
14	Author - Subject Articles File	Yes	L.J.
15	Miscellaneous Papers: ODM & OGS	Yes	L.J.
16	ODM Geological Circulars: OGS Study Series	No	L.J.
17	ODM Preliminary Reports: ODM Bulletins	No	L.J.
18	ODM – OGS Open File Reports	Yes	L.J.
19	OGS Northern Ontario Engineering Geology Terrain Studies	Yes	L.J.
20	OGS Aggregate Resources Inventory Papers	N.A.	L.J.
21	OGS Mineral Potential Maps	Yes	L.J.
22	Theses on File, Sudbury	Yes	L.J.
23	Aerial Photographs on File, Sudbury	Yes	L.J.

METALS AND MINERALS REFERENCES LIST

△ anh. . . . . Anhydrite
△ ank. . . . . Ankerite
△ anna . . . . . Annabergite
△ ap. . . . . Apatite
△ arg . . . . . Argentite
△ As . . . . . Arsenic
▲ asp . . . . . Arsenopyrite
△ asb . . . . . Asbestos
△ ba. . . . . Barite
△ be. . . . . Beryl
△ Bi. . . . . Bismuth
△ bn . . . . . Bornite
△ bran . . . . . Brannerite
△ bruc . . . . . Brucite
△ Cd . . . . . Cadmium
△ calc. . . . . Calcite
▲ carb . . . . . Carbonate
△ cel . . . . . Celestite
△ cc. . . . . Chalcocite
△ cp. . . . . Chalcopyrite
△ ch. . . . . Chert
△ clay . . . . . Clay
△ Co . . . . . Cobalt
△ cob. . . . . Cobaltite
△ cb. . . . . Columbite
▲ Cu . . . . . Copper
△ cor . . . . . Corundum
△ dol . . . . . Dolomite
△ ep. . . . . Epidote
△ ery . . . . . Erythrite
△ fel . . . . . Feldspar
△ fl . . . . . Fluorite (flurospar)
△ fu. . . . . Fuchsite
△ gn. . . . . Galena
△ gt . . . . . Garnet
△ goe . . . . . Goethite
▲ Au . . . . . Gold
△ gf . . . . . Graphite
△ gl . . . . . Gravel
△ gyp. . . . . Gypsum
△ hem . . . . . Hematite
△ il . . . . . Ilmenite
△ Fe . . . . . Iron
△ IF. . . . . Iron Formation
△ jas . . . . . Jasper
△ kaol . . . . . Kaolinite (kaolin)
△ ky . . . . . Kyanite
△ Pb . . . . . Lead
△ lim . . . . . Limonite
△ Li. . . . . Lithium
△ mgst . . . . . Magnesite
△ mag . . . . . Magnetite
△ mc . . . . . Malachite
△ Mn . . . . . Manganese
△ mb . . . . . Marble
△ mar. . . . . Marcasite
△ ma . . . . . Marl
△ mi . . . . . Mica
△ ml . . . . . Millerite
△ mo . . . . . Molybdenite
△ Mo . . . . . Molybdenum
△ mon . . . . . Monazite
△ ne. . . . . Nephelite (nepheline)
△ nc. . . . . Niccolite
△ Ni. . . . . Nickel
△ Nb . . . . . Niobium
△ Pd . . . . . Palladium
△ peat . . . . . Peat
△ pent . . . . . Pentlandite
△ Pt. . . . . Platinum
▲ py . . . . . Pyrite
△ pyl . . . . . Pyrochlore
△ pyrl . . . . . Pyrolusite
▲ po . . . . . Pyrrhotite
△ q . . . . . Quartz
▲ qcv . . . . . Quartz carbonate vein
△ ra. . . . . Radioactive minerals
△ RE . . . . . Rare Earths
△ sd. . . . . Sand
△ sgl . . . . . Sand and gravel
△ ss . . . . . Sandstone
△ scap . . . . . Scapolite
△ shee . . . . . Scheelite
△ serp . . . . . Serpentine
△ sh. . . . . Shale
△ sid . . . . . Siderite
△ si . . . . . Silica
△ Ag . . . . . Silver
△ sl . . . . . Slate
△ sm . . . . . Smaltite
△ sod . . . . . Sodalite
△ spec . . . . . Specularite
△ sp. . . . . Sphalerite
△ spd . . . . . Spodumene
△ staur . . . . . Staurolite
△ stib. . . . . Stibnite
△ st . . . . . Stone
△ talc. . . . . Talc
△ Te . . . . . Tellurium
△ td. . . . . Tetrahedrite
△ th. . . . . Thorite
△ Th . . . . . Thorium
△ thuc . . . . . Thucholite
△ ti . . . . . Titanite
△ Ti. . . . . Titanium
△ tour . . . . . Tourmaline
△ trap . . . . . Trap rock
△ W. . . . . Tungsten
△ uran . . . . . Uraninite
△ U . . . . . Uranium
△ verm . . . . . Vermiculite
△ Y . . . . . Yttrium
△ Zn . . . . . Zinc
△ zr . . . . . Zircon

Solid triangles indicate metal and mineral occurrences shown on the accompanying maps.

STREET TOWNSHIP

MINERAL OCCURRENCES

Map Ref. Letter	Name(s)	Mineralization	Source Mineral Deposit Record	References in OGS Mineral Deposits Circulars & OGS Industrial Mineral Reports	Additional References and/or Remarks
A	Boulanger, T. Claim S.5298	qcv	--	--	O.D.M Vol. 41, pt. 4, p. 47
B	McVittie Occurrence	Au, Cu	--	MRC 12, p. 282 MDC 18, p. 120	O.D.M. Vol. 41, pt. 4, p. 47
C	Potvin, A.	py, carb	--	--	O.D.M. Vol. 41, pt. 4, p. 46
D	Potvin, A. Claim S.19844	py, po	--	--	O.D.M. Vol. 41, pt. 4, p. 47
E	Watt-McLean	asp, Au	--	--	Old pit found while mapping the geology of the area (Sudbury Assessment File--Street 0013)

GDIF FORM NO. 1

4

STREET TOWNSHIP

TYPE OF WORK		Numbers below represent the year in which the work was done; e.g., 68 for 1968.																		
EXPLORATION DATA filed at the RESIDENT GEOLOGIST'S OFFICE SUDBURY COMPANY/AUTHOR (file number)		GEOLOGICAL	GEOCHEMICAL	TRENCHING, STRIPPING	DRILLING	ASSAY DATA	UNDERGROUND WORK	PROSPECTUS, NOTES, CORRESPONDENCE	AIRBORNE MAGNETOMETER	AIRBORNE ELECTROMAGNETIC	AIRBORNE RADIOMETRIC	GROUND MAGNETOMETER	GROUND ELECTROMAGNETIC	GROUND RADIOMETRIC	INDUCED POLARIZATON	SELF POTENTIAL	RESISTIVITY			
1	Ateba Mines Ltd.	83										83	83							
2	Beaucage Mines Ltd.	56				56														
3	Boulanger, T.			?																
4	Brown, P. and Graham, R.	83										83	83							
5	Canadian Nickel Company								82	82	82									
6	Foisey, A.				58															
7	Gulf Minerals Company				76															
8	Jamestown Explorations Inc.							75												
9	Jerome, E., Charron, R., and Graham, R. J.								84	84										
10	Kennco Explorations Ltd.								68	68										
11	McVittie, G.			30	30	30														
12	New Arcadia Explorations	84																		
13	Nickel Valley Copper	56							56	56		57	57							
14	Nipiron Mines Ltd.				58															
15	Potvin, A.			?																
16	Prosco Mines Ltd.	57																		

GDIF FORM NO. 2

STREET TOWNSHIP

TYPE OF WORK		Numbers below represent the year in which the work was done; e.g., 68 for 1968.																		
EXPLORATION DATA filed at the RESIDENT GEOLOGIST'S OFFICE SUDBURY		GEOLOGICAL	GEOCHEMICAL	TRENCHING, STRIPPING	DRILLING	ASSAY DATA	UNDERGROUND WORK	PROSPECTUS, NOTES, CORRESPONDENCE	AIRBORNE MAGNETOMETER	AIRBORNE ELECTROMAGNETIC	AIRBORNE RADIOMETRIC	GROUND MAGNETOMETER	GROUND ELECTROMAGNETIC	GROUND RADIOMETRIC	INDUCED POLARIZATON	SELF POTENTIAL	RESISTIVITY			
COMPANY/AUTHOR (file number)																				
17	Sunbeam Exploration Co. Ltd.							57				56*	56*							
18	Watt-McLean	82, 84			83	82, 84														

*No anomaly

GDIF FORM NO. 2

DRILLHOLE SUMMARY

Map Drilling Location Number	Company Name	Company Drillhole Number	Date Drilled	Bearing Azimuth Degrees	Initial Dip of Hole Degrees	Thickness of Overburden Feet	Total Length of Hole Feet	Mineralization Noted in Log	Assay Data Included for
1	Foisey, A.	1	1958		90	0	27	py	
2	Gulf Minerals Company	ST-1	1975	120	-45	147	175	gt, q, fel, py	
3		ST-2	1975	120	-45	292	343	q, cp, py	
4		ST-3	1975	120	-45	166	464	py	
5		ST-4	1975	120	-45	125	772		
6		ST-5	1976	123	-45	8	850	py, po	
7		ST-6	1976	120	-50	77	1296	py, po	
8		ST-7	1976	120	-50	285	875	q, calc, py, po	
9		ST-8	1976	321.5	-90	132	537	py, po	
9a		ST-9	1976	211	-70.5	155.5	695	py	
10	Nipiron Mines Ltd.	1	1958	270	50	30	561	py, po	
11		2	1958	270	53	36	444	py, po	
12		3	1958	270	51	54	127	py, po	Cu, Ni
12a		4	1958	300	51	51	588	py, po	
13		5	1958	270	53	25	445	py, po	
14	Watt-McLean	W-1	1983	N35W	-45	16	203	stib, calc, cp, py, po, mag, asp	
14a		W-2	1983	N35W	-45	17	490	py, stib, cp, po, gt, asp	
15		W-3	1983	N35W	-60	26	773	cp, py, po, talc, qcv	
16		W-4	1983	N35W	-68	9	595	gt, mag, stib, po, cp, py, asp	

GDIF FORM NO. 3

STREET TOWNSHIP

DRILLHOLE SUMMARY

Map Drilling Location Number	Company Name	Company Drillhole Number	Date Drilled	Bearing Azimuth Degrees	Initial Dip of Hole Degrees	Thickness of Overburden Feet	Total Length of Hole Feet	Mineralization Noted in Log	Assay Data Included for
16a	Watt-McLean, con't	W-5	1983	N35W	-60	10	497	stib, po, cp, py asp	
16b		W-6	1983	N35W	-60	11	806	talc, asp, py, po, cp, stib, gt	
17	McVittie Occurrence		1930	No logs or locations					

GDIF FORM NO. 3

AIRBORNE GEOPHYSICAL SURVEY DATA

No.	By / For	Type of Survey	Flight Altitude	Flight Line Direction	Flight Line Spacing
5	Canadian Nickel Company Canadian Nickel Company	Airborne magnetometer*, electromagnetic* and radiometric*	120 m	E - W	200 m
9	Aerodat Jerome, E., Charron, R. and Graham, R. J.	Airborne magnetometer* and electromagnetic*	60 m	N31E	100 m
10	Questor Surveys Limited Kennco Explorations	Airborne magnetometer* and electromagnetic*	400 ft		1000-1200 ft
13	Aeromagnetic Surveys Limited Nickel Valley Copper	Airborne magnetometer and electromagnetic	500 ft	NE	1000 ft

* No anomaly

GDIF FORM NO. 4

STREET TOWNSHIP

Map Sample Site Reference Number	GEOCHEMICAL SURVEY DATA		By	Reference
	Type of Survey	Analysis For		

GDIF FORM NO. 5

MISCELLANEOUS DATA

AGE DATING

Site	Method	Material	Reference	Result

NEWSPAPER CLIPPINGS FILE

NOTE: A file of newspaper clippings about the companies listed below, who have worked in this area, is maintained in the Regional/Resident Geologist's Office.

Ateba Mines Inc.

Northern Miner	April 14, 1983
	September 11, 1983
	September 20, 1984

Gulf Minerals Ltd.

Northern Miner	February 7, 1979

New Arcadia Explorations

Northern Miner	September 6, 1984
	January 17, 1985

Watt, D. R.

Northern Miner	February 8, 1979

ODM GENERAL INDEX SEARCH

Words searched:

ATEBA MINES LTD.	FELDSPAR	HURONIAN SEDIMENTS
BEAUCAGE MINES LTD.	FOISEY, A.	JAMESTOWN EXPLORATIONS
BOULANGER, T.	GARNET	JEROME, E.
BROWN, P. A. R.	GRAHAM, R. J.	KENNCO EXPLORATIONS
CANADIAN NICKEL COMPANY	GRENVILLE FRONT	MCLEAN, PAUL
CHARRON, R.	GULF MINERALS	MCVITTIE OCCURRENCE

Index Volume	Listing:	Report Volume	Part	Page
5	Beaucage Mines, Ltd.			
	Capital; officers; operations	64	2	119
	Incorporated	63	1	56
3	Boulanger, T.			
	Gold claim, Street tp.	41	4	47
3	Feldspar			
	Ashigami L. area	48	10	13, 15
7	Huronian Rocks			
	Basal unconformity:			
	Sudbury District	GR1		9-11
	Maclennan and Scadding tps	GR2		22-24
1	Huronian System			
	Wanapitei Lake area	7		137
		13	1	221
	south of	6		169
9	McVittie, G. E. Occurrence			
	Street tp., Sudbury Dist.			
	report on property	MDC18		120-121
3	McVittie, George E.			
	Gold claims, Street tp., notes and sketch map	41	4	47
6	Nickel Valley Copper Mines Ltd.			
	Incorporated	66	1	33
5	Nipiron Mines, Ltd.			
	Incorporated	62	1	59
3	Potvin, A.			
	Gold claims, Scadding tp.	41	4	44
	Street tp.	41	4	45-47
3	Sand and Gravel			
	Ashigami L. area	48	10	2, 13
7	Street township, Sud.			
	Kyanite	GR9		26
1	Street tp., Sud.			
	Arsenolite	9		195
6	Fault	66	6	18, 19
	Rocks. See map 1957-6 with	66	6	

GDIF FORM NO. 8

ODM GENERAL INDEX SEARCH

Words searched:

NEW ARCADIA EXPLORATION
NICKEL VALLEY COPPER
NIPIRON MINES LTD.
POTVIN, A.
PROSCO MINES LTD.
RIVERS, E. J.
SAND AND GRAVEL
SCADDING TP.
STRATMAT LTD.
STREET TP.
SUNBEAM EXPLORATION
TOMROSE MINES
WANAPITEI RIVER
WATT

Index Volume	Listing:	Report Volume	Part	Page
1	Street tp., Sud., con't			
3	Glacial deposits	48	10	10
	Gold prospects	41	4	46, 47
	Rocks	48	10	4, 5, 9-12
	olivene diabase	41	4	35
	see also map 48m with	48	10	
9	Street Tp., Sudbury Dist.			
	gold	MDC18		120-121
	peat	MDC19		20, 27-32, 88-90, 117
	pyrite	MP70		303
6	Sunbeam Exploration Co. Ltd.			
	Change of name	65	1	38
1	Wanapitei River, Wanapitei lake			
	Country between, and Sturgeon River			
	notes	N.O.		90
	Gold, alluvial	7		258
	notes by Gibson	11		17
	Notes by Coleman on upper portion	10		154-155
	Rocks	7		172
	Sand deposits, notes and section	6		182-183

GDIF FORM NO. 8

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
		REGIONAL GEOLOGICAL COMPILATION MAPS		
Card, K. D., and Lumbers, S. B.	1974-75	Sudbury-Cobalt	O.G.S. Map 2361	1" = 4 miles
Dressler, B.	1983	Sudbury Mining Area-Eastern Part	O.G.S. Map P.2603	1:50,000
Meyn, H. D.	1966	Capreol Sheet	Map P.367	1" = 2 miles
O.M.N.R. - O.G.S.	1980	Wanapitei Lake Area-Southern Part	O.G.S. Map P.2228	1:15,840
		GEOPHYSICAL MAPS		
G. D. H. Consultants	?	Sudbury Research Project	Map-2	1" = ½ mile
Gupta, V. K.	1981	Bouguer Gravity and Generalized Geological Map of the Sudbury-Onaping Lake Area	O.G.S. Map P.2482	1:100,000
O.D.M.-G.S.C.	1965	Aeromagnetic Map-Capreol, Ontario	Map 1511G	1" = 1 mile
	1965	Aeromagnetic Map-Sudbury, Ontario	Map 7067G	1" = 4 miles
O.G.S.-G.S.C.	1976	Uranium Reconnaissance Program, Airborne Gamma Ray Spectrometer Survey	Map P.1610	1:250,000
		SURFICIAL, PLEISTOCENE, TERRAIN ENGINEERING		
Dept. of Energy, Surveys and Mapping Branch	1980	Topographic Map-Capreol Sheet		1:50,000
Gartner, J. F.	1978	N.O.E.G.T.S. Data Base Map, Capreol N.O.E.G.T. Study 95	O.G.S. Map 5001	1:100,000

GDIF FORM NO.9

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
		MINERAL POTENTIAL MAPS		
Gordon, J. B.	1977	Gold Deposits of Ontario-East Central Sheet	P.1228	1" = 16 miles
Robertson, James A.	1982	Uranium and Thorium Deposits of Ontario	P.2426	1" = 16 miles
Robertson, James A., Vos, M. A.	1976	Mineral Potential Map	P.1099	1" = 16 miles
Springer, Janet	1977	Ontario Mineral Potential Northern Part of Sudbury Sheet and Part of North Bay Sheet	P.1512	1:250,000
		GEOCHEMICAL		
		No data available, August 21, 1986		
		GEOLOGICAL REPORTS AND MAPS		
Adlington, R.	1981	Street Township, Sudbury Data Series	P.2448	1" = ½ mile
Bell, R.	1892	The Laurentian and Huronian Systems, North of Lake Huron	O.B.M. AR Vol.1 with COL MAP 1A	p.p. 63-94
Burwasser, G. J.	1979	Quarternary Geology of the Sudbury Basin Area, Sudbury District, Ontario	O.G.S. Rept.181 COL MAP 2397	
Collins, W. H.	1913	Geology of a Portion of Sudbury Map-Area, South of Wanapitei Lake, Ontario	G.S.C. Sum. Rept. Map 124A	p.p. 189-195
Dressler, Burkhard O.	1980	Geology of the Wanapitei Lake Area, District of Sudbury	OFR 5287	

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
Fairbairn, H. W.	1939	Geology of the Ashigami Lake Area, Sudbury District, Ontario	O.D.M. AR Vol. 48, pt. 10, COL MAP 48m	p.p. 1-15
Gordon, J. B.	1979	Gold Deposits of Ontario	MDC 18	p.p. 120-121
Robertson, J. A., and Card, K. D.	1972	Geology and Scenery, North of Lake Huron Region, Ontario	O.D.M. Geol. Guide-book No. 4	
Shklanka, R.	1969	Copper, Nickel, Lead and Zinc Deposits of Ontario	O.D.M. MRC 12	p. 282
Thomson, Jas. E.	1957	Copper, Nickel, Lead and Zinc Deposits in Ontario	O.D.M. MRC 2	p. 104
		JOURNALS, ARTICLES, THESES, TECHNICAL REPORTS		
Barter, L. W.	1970	Petrology of Precambrian Conglomerate in Scadding Tp., Northern Ontario	Sudbury Theses No.8	
Card, K. D.		Metamorphism of the middle Precambrian (Aphebian) rocks of the Eastern Southern Province	G.S.C. Paper 78-10	p.p. 269-282
Carter, O. F.	1936	The structural features of the gold deposits of Ontario; M.A., University of Toronto	MP2	
Coleman, A. P.		The Pre-Cambrian rocks North of Lake Huron	O.B.M. Vol. 23,pt.14	p.p. 204-206
Collins, W. H.	1916	North Shore of Lake Huron	G.S.C. Sum. Rept.	p.p. 183-185
Cunningham-Dunlop, P. K.	1954	Structural geology of Ontario pyrite deposits, Sudbury, Ontario; M.A.Sc., University of Toronto	MP2	
Eade, Kenneth Edgar	1950	The Huronian rocks of northwestern Ontario, M.Sc., McGill University	MP2	

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
Fairbairn, H. W.	1941	Dryden-Falconbridge Area, Sudbury District, Ontario	O.D.M. AR Vol. 50, pt. 6, COL MAP 50G	1" = 1000 ft
Fairbairn, H. W., Hurley, P. M., Card, K. D., and Knight, C. J.	1969	Correlation of radiometric ages of Nipissing diabase and Huronian metasediments with Proterozoic orogenic events in Ontario	Can. J. Earth Sci. Vol. 6	p. 489
Kindle, E. D.	1936	Gold occurrences of Ontario east of Lake Superior	G.S.C. MEM 192	p. 145
Kindle, L. F.		Moose Mountain-Wanapitei Area	O.D.M. AR Vol. 41, pt. 4	p. 47
La Tour, Timothy E.	1981	Metamorphism and geothermometry near Coniston, Ontario: a clue to the tectonic evolution of the Grenville Front	Can. J. Earth Sci. Vol. 18	p.p. 884-898
Moore, John Carman Gailey	1940	Classification of gold deposits of the Canadian Shield based on structural geology; M.S., Cornell University	MP2	
Moorhouse, W. W.	1936	Genetic relations of intrusives and gold deposits in Canada; M.A., University of Toronto	MP2	
Patel, J. P., and Palmer, H. C.	1973	Magnetic and Paleomagnetic studies of the Nipissing Diabase, Lake Matinenda Area, Ontario	Can. J. Earth Sci. Vol. 11	p. 353
Pearson, William N.,Bretzlaff, Robert E., Carriere, Janet J.	?	Copper deposits and occurrences in the North Shore Region of Lake Huron, Ontario	G.S.C. Paper 83-28	
Thomson, J. E.	1957	Geology of Falconbridge Township, District of Sudbury, Ontario	O.D.M. AR Vol. 66, pt. 6, COL MAP 1957-5	1" = 1000 ft

GDIF FORM NO.9

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
Thomson, J. E., con't	1961	Maclennan and Scadding Townships, District of Sudbury, Ontario	O.D.M. Geol. Rept. 2, COL MAP 2009	1" = 1000 ft
Thomson, J. E., and Card, K. D.	1963	Geology of Kelly and Davis Townships, Sudbury District, Ontario	O.D.M. Geol. Rept. 15, COL MAP 2037	1" = 1000 ft

GDIF FORM NO.9

STREET TOWNSHIP

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages

GDIF FORM NO.9

NOTES AND ADDENDA

Street Township

Air Photos

Scale 1" = ¼ mile

Year	Roll	Line	Numbers
1977	24	4626	153-159
	24	4625	59-65
	55	4624	179-185
	55	4623	34-40
1946		150	45, 46
		153	72, 73A

GDIF FORM NO.8

SCADDING



NOTE - 2 Refers to whole township

Ministry of Northern Development and Mines

Ontario

ONTARIO GEOLOGICAL SURVEY

PROPERTY LOCATION MAP

GEOLOGICAL DATA INVENTORY FOLIO 340

(Map 1 of 2)

STREET TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Kilometre 0.5 0 0.5 1 Kilometre

Mile 0.5 0 0.5 1 Mile

EXPLORATION DATA FILE AREAS

(Map 1 of 2)

STREET TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Kilometre 0.5 0 0.5 1 Kilometre

Mile 0.5 0 0.5 1 Mile



EXPLORATION DATA FILE AREAS

■ ① ⑥ Reference number is always inside work area outlined. See listing in text pages.

□ x ④ Small area exploration.

TYPES OF DATA SHOWN ON THIS MAP

GEOCHEMICAL AND GEOCHRONOLOGICAL DATA

- Geochemical sample site, with reference number
- Area of geochemical sampling, with reference number
- Age dating material sampling site, with reference number

GEOPHYSICAL ANOMALIES

- Airborne magnetic anomaly
- Airborne electromagnetic anomaly Length of anomaly along flight line
- Airborne electromagnetic anomaly Location of anomaly along flight line
- Airborne electromagnetic anomaly Conductor axis: definite, probable, possible
- Airborne radiometric anomaly
- Ground magnetic anomaly
- Ground electromagnetic anomaly (VL - Vertical loop; HL - Horizontal loop; VLF - Very low freq; Turam; JEM - Crone Em - 16)
- Ground radiometric anomaly
- Induced polarization anomaly
- Self potential anomaly
- Audio-frequency magnetic anomaly (total intensity)
- Resistivity anomaly
- Gravity anomaly

MISCELLANEOUS DATA

- Trenching, pit
- Rock quarry
- Adit
- Sand and/or gravel pit

SCADDING

FALCONBRIDGE



SCADDING



Ministry of Northern Development and Mines

Ontario

ONTARIO GEOLOGICAL SURVEY

EXPLORATION DATA MAP

GEOLOGICAL DATA INVENTORY FOLIO 340

(Map 2 of 2)

STREET TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Kilometre 0.5 0 0.5 1 Kilometre

Mile 0.5 0 0.5 1 Mile

GEOLOGICAL AND MINING SYMBOLS

TYPES OF DATA SHOWN ON THIS MAP

MINERAL OCCURRENCES

- ■ cp A. — Mineral occurrence at surface, with reference letter
- □ Au A. 84' — Mineral occurrence with shaft, depth given with reference letter
- ■ Ag ? A. — Mineral occurrence reported but exact location uncertain, with reference letter
- □ cp A. — Mineralized float with reference letter

DRILLHOLE

- ■ 2 — Location of single drillhole, with reference number
- ■ 2 — Location of closely spaced group of drillholes, with reference number
- □ ?2 — Drillhole, exact location uncertain, with reference number
- □ — Property with underground drillholes in this general area, with reference number
- □ 2 — Property with drillholes which have not been plotted on map, with reference number

GEOPHYSICAL ANOMALIES

- ■ —AM— Airborne magnetic anomaly
- □ Airborne electromagnetic anomaly
  Length of anomaly along flight line
- □ Airborne electromagnetic anomaly
  Location of anomaly along flight line
- □ Airborne electromagnetic anomaly
  Conductor axis: definite, probable, possible
- □ —ARA— Airborne radiometric anomaly
- ■ —M— Ground magnetic anomaly
- ■ VL Ground electromagnetic anomaly
  (VL - Vertical loop; HL - Horizontal loop;
  VLF - Very low freq; Turam; JEM -
  Crone Em - 16)
- □ —RA— Ground radiometric anomaly
- □ —IP— Induced polarization anomaly
- □ —SP— Self potential anomaly
- □ —AFMAG— Audio-frequency magnetic anomaly
  (total intensity)
- □ —R— Resistivity anomaly
- □ —GR— Gravity anomaly

MISCELLANEOUS DATA

- ■ Trenching, pit
- □ Adit
- □ Open pit
- □ Rock quarry
- □ Sand and/or gravel pit

NOTE: Consult the text that accompanies this map for pertinent lists of data, references, and abbreviations.

FALCONBRIDGE



AWREY

STREET TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Kilometre 0.5 0 0.5 1 Kilometre

Mile 0.5 0 0.5 1 Mile

GEOLOGICAL AND MINING SYMBOLS

TYPES OF DATA SHOWN ON THIS MAP

MINERAL OCCURRENCES

- cp A. — Mineral occurrence at surface, with reference letter
- Au A. 84' — Mineral occurrence with shaft, depth given with reference letter
- Ag ? A. — Mineral occurrence reported but exact location uncertain, with reference letter
- cp A. — Mineralized float with reference letter

DRILLHOLE

- ●² — Location of single drillhole, with reference number
- ◉² — Location of closely spaced group of drillholes, with reference number
- ?² — Drillhole, exact location uncertain, with reference number
- ◎ — Property with underground drillholes in this general area, with reference number
- ○² — Property with drillholes which have not been plotted on map, with reference number
- ⊕² — Reverse circulation drillhole; churn drilling, with reference number

qcv A

py,carb C

Au,Cu B 17

Jackson Lake

Canadian National Rapids

Timmins Creek

Zn,Au E

River

Wanapitei

80°41'00"

46°32'30"

LOUGHRIN

AWREY